200100284

# THE UNITED STANFES OF ANTIBERION

TO ALL TO WHOM THESE PRESENTS SHALL COME;

# USDA -Agriculture Research Service

There has been presented to the

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT. VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, A CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN PUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY FECTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (I) SHALL BE SOLD BY VARIETY NAME ONLY AS A CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE SALETY.

SOYBEAN

'N6201'

In Testimonn Marrest, I have hereunto set my hand and caused the seal of the Mant Anriety Protection Office to be affixed at the City of Washington, D.C. this ninth day of April, in the year two thousand two.

Ga M Jahal

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

ru of Agricultura

of Agriculture

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

The following state ments are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

APPLICATION FOR PLANT (Instructions and information	VARIETY PROTECTION of collection burden statement	CERTIFICATE ton reverse)	Application is re (7 U.S.C. 2421).	quired in order to determine if a . Information is held confidential	plant variety p until certificat	protection certificate is to be issued to is issued (7 U.S.C. 2426).
1 NAME OF OWNER USDA - Ag	ricultural Resear	rch Service		2. TEMPORARY DESIGNA EXPERIMENTAL NAME NATUR 92 - 40 NCTOPRO2 - 40		3. VARIETY NAME  N6201
3127 Ligon St. Raleigh NC 27607	, City, State, and ZIP Code, and Coun	ntry)		5. TELEPHONE (include area (919) 513–1480 6. FAX (include area code) (919) 856–4598	o <b>2</b> 1	PVPO NUMBER  0 10 0 284
7 IF THE OWNER NAMED IS NOT A PERSORGANIZATION (corporation, padnership) USDA-ARS (Gov. A	, association, etc.)	8. IF INCORPORAT STATE OF INCO	TED, GIVE RPORATION	9. DATE OF INCORPORATE		9/4/2,001
Thomas E. Carter, 3127 Ligon St. Box 7631 Raleigh NC 27607		IS APPLICATION. <i>(Firs</i> )	t person listed will re	ceive all papers)		FILING AND EXAMINATION FEES:  \$ 2, 705.00  DATE 9/14/2001  CERTIFICATION FEE  \$ 320  DATE 2/27/02
(919) 51 <b>3</b> -1480 (87:9/21/2001	12. FAX (Include area code) (919) 85604598	13. E_M/ tomn	AL Ny_carter	@ncsu.edu	14. CROP	KIND (Common Name) Dean
Glycine max	•	j	eguminosa		HYBRIC	VARIETY A FIRST GENERATION  YES 1 NO
8 CHECK APPROPRIATE BOX FOR EACH reverse)  a.	History of the Variety ness of Variety of the Variety (Optional)	instructions on	20. DOES THE O'OF GENERAL	SEED? See Section 83(a) of 'ES (If 'yes', answer items 20 and 21 below)	the Plant Van	NO (If "no," go to item 22)  ETY BE LIMITED AS TO NUMBER
Voucher Sample (2,500 viable userification that tissue culture will repository)	intreated seeds or, for tuber propagate if be deposited and maintained in an election when the deposition of the seeds of	approved public		TEM 20, WHICH CLASSES OF DUNDATION TREGIS	_	
HAS THE VARIETY (INCLUDING ANY HAI FROM THIS VARIETY BEEN SOLD, DISPI OTHER COUNTRIES?  YES  IF YES, YOU MUST PROVIDE THE DATE FOR EACH COUNTRY AND THE CIRCUM	NO OF FIRST SALE, DISPOSITION, TR	ANSFER, OR USE	PROPERTY R	ETY OR ANY COMPONENT OF RIGHT (PLANT BREEDER'S RIC ES SE GIVE COUNTRY, DATE OF NUMBER. (Please use space in	SHT OR PATE	NO SUANCE AND ASSIGNED
The owners declare that a viable sample of for a tuber propagated variety a tissue cuttu. The undersigned owner(s) is(are) the owner and is entitled to protection under the providowner(s) is(are) informed that false represents.	re will be deposited in a public repose of this sexually reproduced or tuber sions of Section 42 of the Plant Variety	itory and maintained for propagated plant variet y Prolection Act,	nd will be replenished the duration of the ty, and believe(s) that	d upon request in accordance w certificate.	ith such regul	ations as may be applicable, or
GNATURE OF OWNER Thomas E.	Cate Or		SIGNATURE OF C			
Thomas E. Car	try Jr.		NAME (Please prin	st or type)	-	
Research Gen	ection Office with WordPerfect 6.0a.	1-01	CAPACITY OR TIT			DATE    Option

REPRODUCE LOCALLY. Include form number and date on all reproductions

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

T-470 (2-99) designed by the Plant Variety Protection Office with WordPerfect 5.0a. Replaces STD-470 (6-98) which is obsolete.

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

(See reverse for instructions and information collection burden statement)

NAME OF OWNER	out of statement	in divising			2. TEMPORARY DESIGNAL EXPERIMENTAL NAME		3. VARIETY NAME N6201
4. ADDRESS (Street and No., or R.F.D. No.	. City, State, and ZIP Code,	and Country)			5. TELEPHONE (include a	rea code)	FOR OFFICIAL USE ONLY PVPO NUMBER
					6. FAX (include area code)		FILING DATE
7. IF THE OWNER NAMED IS NOT A "PERS ORGANIZATION (corporation, partnership	GON", GIVE FORM OF o, association, etc.)			ED, GIVE RPORATION	9. DATE OF INCORPORAT	TION	
10. NAME AND ADDRESS OF OWNER REF	RESENTATIVE(S) TO SER	VE IN THIS APPLICATI	ION. (Firs	t person listed will re	ceive all papers)		FILING AND EXAMINATION FEES:  \$  C DATE  C CERTIFICATION FEE:  \$ \$
11. TELEPHONE (Include area code)	12. FAX (Include area co	de) 1	13. E-MA			14. CROP	DATE  KIND (Common Name)
18. CHECK APPROPRIATE BOX FOR EACH reverse)  a. Exhibit A. Origin and Breeding  b. Exhibit B. Statement of Distinct  c. Exhibit C. Objective Description  d. Exhibit D. Additional Description  e. Exhibit E. Statement of the Bas  f. Voucher Sample (2,500 viable understanding that tissue culture with repository)  g. Filing and Examination Fee (\$2,500 viable understanding that the Plant Variety)	History of the Variety ness of Variety n of the Variety (Optional) is of the Owner's Ownership intreated seeds or, for tuber il be depositied and maintali	) propagated varieties, ned in an approved pub		20. DOES THE OVARIETY BE IN THE OVARIETY BE IN THE OVARIETY BE IN THE OVARIETY BE OVARIETY	EED? See Section 83(a) of (if yes*, answer items 20 and 21 below)  VNER SPECIFY THAT SEED IMITED AS TO NUMBER OF H CLASSES? TO FOUND.  VNER SPECIFY THAT THE CONUMBER OF GENERATION	OF THIS CLASSES? ATION F	NO (If "no," go to item 22)  YES NO  REGISTERED XX CERTIFIED  YES NO  REGISTERED CERTIFIED
2. HAS THE VARIETY (INCLUDING ANY HAI FROM THIS VARIETY BEEN SOLD, DISPLOTHER COUNTRIES?  YES  IF YES, YOU MUST PROVIDE THE DATE FOR EACH COUNTRY AND THE CIRCUM	OSED OF, TRANSFERRED  NO OF FIRST SALE DISPOSE	, OR USED IN THE U.	S. OR	23. IS THE VARIE PROPERTY RIVES		THE VARIET GHT OR PATE N	Y PROTECTED BY INTELLECTUAL ENT)? IO E AND ASSIGNED
t. The owners declare that a viable sample of for a tuber propagated variety a tissue cult.  The undersigned owner(s) is(are) the owner and is entitled to protection under the provisionment(s) is(are) informed that false representatives of the company of the co	r of this sexually reproduced sions of Section 42 of the Pl	i or tuber propagated p ant Variety Protection A	lant variet \ct.	y, and believe(s) tha	t the variety is new, distinct, u	with such regunitorm, and sta	elations as may be applicable, or able as required in Section 42,
AME (Please print or type)		:		NAME (Please prin	or type)	(ack	6,60
PACITY OR TITLE	DA	ATE	-	CAPACITY OR TIT	Æ	<del></del>	DATE

#### INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Complete application form signed by the owner, (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hyb variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sens that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2 (\$320 filing fee and \$2,385 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partia applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant V Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the copy for your files. All items on the copy for your files. face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initiated and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the an of \$320 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

> Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM

18a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If new variety is most similar to one variety or a group of related varieties:
  - (1) identify these varieties and state all differences objectively;
  - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
  - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as complete as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPC
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision. after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- See Section 83 of the Act for the Contents and Term of Plant Variety Protection.
- See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089. According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data

sources, gathering and maintaining the data needed, and completing and reviewing the collection of information

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or familistans. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact the USDA's TARGET Cat 202-720-3500 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (2021) and the program of the complaint of the com

- 18A.
- 1- "N6201" (NTCPR92-40) was developed by Dr. Thomas E. Carter, Jr., Research Geneticist, USDA-ARS, Raleigh, North Carolina. The line is an  $F_6$  –derived selection from the cross of 'Nakasennari' x 'Young'. Young was a widely grown variety in the southeastern USA in the 1980's. Nakasennari is a Japanese variety.
- 2- Young and Nakasennari were crossed in 1988 at Raleigh, NC, and F<sub>1</sub> plants were grown at the USDA-ARS Tropical Agriculture Research Station (TARS), Isabela, PR, the following winter. All F<sub>2</sub> plants were grown and harvested as a single bulk at Clayton, NC in 1989. Subsequently, the seed within this bulk were selected for large seed size. The largest F<sub>3</sub> seed were planted at TARS, and 1 pod was picked from each plant at maturity. The F<sub>4</sub> seed were increased at Clayton, NC and allowed to stand well past maturity and rated for pod dehiscence in 1990. Plants apparently resistant to pod dehiscence were harvested individually and assayed for 100-seed weight and visual appearance. Progeny of promising F<sub>4</sub> plants were grown and bulk harvested on an individual row basis at TARS the following winter. In 1991, individual F<sub>6</sub> plants were harvested and assayed for 100-seed weight and visual appearance at Clayton, NC. Approximately 30 F<sub>6</sub> plants were selected for progeny increase at TARS that winter and were subsequently yield tested at Plymouth, NC in 1992.
- 3- In five years of testing and increase, N6201 has demonstrated no instability.
- 4- Off type hila color (slightly darker or lighter) can occur at a rate less than 2%.
- 18B.
- N6201 has yellow seed and clear hila, purple flowers, gray pubescence, determinate growth habit, and round leaves. N6201 is resistant to frog eye leaf spot (*Cercospora sojina* Hara), bacterial pustule (*Xanthomonas campestris pv. glycines* (Nakano) Dye) and most strains of Soybean Mosaic Virus, but susceptible to root knot (*Meloidogyne*) species of nematode. In Field Tests N6201 was moderately lodging resistant, exhibiting an average lodging score of 2.3, compared with Brim's score of 2.0 [a score of 1 indicates no lodging while 5 indicates a prostrate plant]. N6201 plant height averaged 17 cm shorter than Young. N6201 is very resistant to pod dehiscence (shattering) after maturation.

In some environments, seed will exhibit a light brown mottling which can be detrimental to acceptance in the soyfoods market. The basis for this mottling is unknown at present. Experimental production is advised prior to commercial marketing to ensure high seed quality. The lower yield potential of N6201, compared to commodity-type varieties, limits its use to specialty purposes.

N6201 is approximately three days later in maturity than 'Brim' and is adapted to similar latitudes (approximately 31° to 37°). In ten North Carolina environments, it produced 7% lower yield than Brim in wide (95 cm) row spacings when grown under full season conditions. In these same environments, the 100-seed weight of N6201 averaged 23.1g which was larger than that of Brim (14.0g), and most other group VI varieties. In the 1995 USDA Cooperative Uniform Soybean Yield Tests, the average seed protein and oil concentrations on a zero percent

moisture basis for N6201 and Brim were 42.3 and 20.7 % and 42.9 and 20.2%, respectively.

N6201 was yield tested at ten North Carolina locations from 1993 through 1997, and at nine and 23 southern regional locations in 1994 and 1995 as part of the USDA Cooperative Uniform Soybean Yield Tests. N6201 was also yield tested in three North Carolina environments by the North Carolina Official Variety Testing Program in 1995. Please refer to attached Tables 1, 2, and 3.

**18C.** See attached form.

**18D.** None.

**18E.** See attached form.

REPRODUCE LOCALLY. Include form number and date on all reproductions.

Form Approved - OMB No. 0581-0055

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 30 minutes per response, including the time for reviewing instructions, exarching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large prim, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

#### U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY 2 () () (1) (1) (2) 4 SOYBEAN (Glycine max (L.) Merr.)

NAME OF A	PPLICANT(S) US	DA-Agricultura.	l Research Servi	ce	FOR OFFICIAL USE ONLY
ADDRESS (S	Great and No. or R.F.D. No., of 3127 Ligon S Box 7631		*		PVPO NOMBER  VARIETY NAME
	Raleigh NC 2	7607			N6201
					TEMPORARY OR EXPERIMENTAL DESIGNATION NTCPR92-40
PLEASE R	LEAD ALL INSTRUC	TIONS CAREFULLY: PI	ace the appropriate number	that describes the variet	al character of this variety in the boxes below
Place a zero	o in the first box (e.g.	0 9 9 or	1 .		9 or less respectively. Data for quantitative
plant chara	cters should be based	on a minimum of 100 plan	its. Comparative data shoul	d be determined from v	arieties entered in the same trial. Royal
			y be used to determine plant		
			se may delay progress of you		usea:
A. MORI	PHOLOGY	- through men of respond	se may delay progress or you	г аррисацов.	
Cood Chan					·
Seed Shap	e:			•	L/W= 1.4
	1 = Spherical		2 = Spheric	cal-Flattened	L/T= 1.1
2	(L/W, L/T, and	1 T/W ratios < 1.2)		> 1.2; L/T ratio <	
	3 = Elongate (L/T ratio > 1.	2; T/W ratio < 1.2)	4 = Elongar (L/T-ratio >	te-Flattened > 1.2;T/W ratio >	1.2)
Seed Coat	Color:				
1	1 = Yellow	2 = Green	3 = Brown	4 = Black	5 = Other (Please Specify)
eed Coat 1	Luster:	•			
1	1 = Dull	2 = Shiny			
eed Size:					
2 3	grams/100 s	eeds			
ilum Colo	r:			•	
2	1 = Buff 6 = Black	2 = Yellow 7 = Other ( <i>Plea</i>	3 = Brown use Specify)	4 = Gray	5 = Imperfect Black
otyledon C	Color:				
2	1 = Yellow	2 - 0			
	r = renow	2 = Green			

Α.	MORPHOLOGY	(Continued)

Seed	Protein	Peroxidase	Activity:

1 = Low

2 = High

200100294

Hypocotyl Color:

1 = Green'Evans' or 'Davis' 2 = Green with Bronze Bands below Cotyledon 'Woodworth' or 'Tracy' 3 = Light Purple below Cotyledons 'Beeson' or 'Pickett 71'

4 = Dark Purple extending to unifoliolate leaves ('Hodgson', 'Coker', or 'Hampton 266A')

Leaf Shape:

1 = Lanceolate

2 = Oval

3 = Oyate

4 = Other (Please Specify)

Flower Color:

1 = White

2 = Purple

3 = White with a Purple Throat

Pod Color:

1 = Tan

2 = Brown

3 = Black

Pubescence Color:

1 = Gray

2 = Brown (Tawny)

3 = Light Tawny

Plant Habit:

1 = Determinate2 = Semi - Determinate

3 = Indeterminate

4 = Intermediate

Maturity Group:

1 = 0006 = III

2 = 00

....7 = IV

4 = I $\mathbf{v} = \mathbf{v} \mathbf{I}$ 

5 = II10 = VII

11 = VIII

Please enter a value from 0 - 9

12 = IX

8 = V13 = X

14 = XI

15 = XII

Maturity Subgroup:

**B. DISEASE REACTIONS** 

0 = Not Tested

1 = Susceptible

2 = Resistant

3 = Tolerant

Bacterial

Bacterial Pustule (Xanthomonas campestris pv. glycines (Nakano) Dye)

Bacterial Blight (Pseudomonas syringae pv. glycinea (Coerper) Young, Dye, & Wilkie)

Wildfire Blight (Pseudomonas syringae pv. tabaci (Wolf & Foster) Young, Dye, & Wilkie)

Fungal

Brown Spot (Septoria glycines Hemmi)

Page 2 of 6

В.	DISEASE REACTIONS (C	ontinued)	0 = Not Tested	1 :	= Susceptible	2 = Resistant	3 = Tolerant
	Frogeye Leaf Spot (Cer	cospora sojina 1	Hara)				
	race 1		race 2		race 3	· i	race 4
L	race 5		race 6	Į	Other (		desistant to local r
0	Target Spot (Corynespon	ra cassiicola (Be	erk. & Curt.) W	ei)	. Service states.	2001	
0	Downey Mildew (Perono	ospora trifolioru	m var. manchui	rica (Na	um.) Syd. ex Gäu	m)	
0	Powdery Mildew (Micro	sphaera diffusa	Cke. & Pk.)		e e e eget ge skedest	सेंबर्क-इंक्स, १५ का <u>.</u> •	
0	Brown Stem Rot (Phialo	phora gregata (	Allington & Cha	mberlai	in) W. Gams.)		
0	Stem Canker (Diaporthe	phaseolorum ((	Cke. & Ell.) Saco	c. var. <i>c</i>	caulivora Athow &	Caldwell)	
_				•		edidi. Galaktiri	
0	Pod and Stem Blight (Dia	aporthe phaseol	orum (Cke. & El	II.) Saco	. var. sojae (Lehn	nan) Wehm.)	
0	Purple Seed Stain (Cerco	spora kikuchii (	T. Matsu. & To	moyasu	) Gardener)		
0	Rhizoctonia Root Rot (RA	hizoctonia solan	<i>i</i> Kühn)				
Phyto	phthora Root Rot (Phytophta	hora megaspern	na Drechs. f. sp.	glycine	a (Kuan & Erwin)	n .	
0			,		. (	,	
	race 1 0 race	المانيد .	race 15		race 22		
0	race 2 race	9 0	race 16		race 23	·	
0	race 3 race	10 0	race 17	0 r	race 24	Zengese egsensky i skriv	· ····· · · · · · · · · · · · · · · ·
0	race 4 0 race	11 0	race 18	0 r	ace 25		•
0	race 5 0 race	12 0	race 19	0 r	ace 26		
. 0	race 6 0 race	13 0	race 20	0 (	Other ( <i>Please Spec</i>	ify):	
0	race 7 0 race	14 O	race 21	_			•
0	Bud Blight (Tobacco Ring	spot Virus)					
0	Yellow Mosaic (Bean Yello	ow Mosaic Viru	ıs)				
0	Cowpea Mosaic (Cowpea (	Chlorotic Virus	)				
0	Pod Mottle (Bean Pod Mot	ttle Virus)					

B. DISEASE REACTIONS (Continued)	0 = Not Tested	1 = Susceptible	2 = Resistant	3 = Tolerant
2 Seed Mottle (Soybean Mosaic Virus)		•		
Nematode			9990	6666
Soybean Cyst Nematode (Heterodera glycines	Ichinohe)		<b>EU</b> U E	09294
1 race 1 1 race 4	1 race 9	AT rakus		
$\frac{1}{1}$ race 2 $\frac{1}{1}$ race 5	<u>}</u>	4 (former r. 4)		
1 race 3 1 race 6	L 1	(Please Specify)		•
0 Lance Nematode (Hoplolaimus columb		A Company of the Comp		सामा असीव में जिल्हा जन्म
			·	
Southern Root Knot Nematode (Meloi	dogyne incognita (K	ofoid & White) Chitwo	od)	
1 Northern Root Knot Nematode (Meloi	dogyne hapla Chitwo	ood)		
Peanut Root Knot Nematode (Meloido	gyne arenaria (Neal)	Chitwood)		
Reniform Nematode (Rotylenchus reni				
Javanese Nematode (Meloidogyne javan	nica (Treub) Chitwo	od)		
Other Nematode (Please Specify)		·		
C. PHYSIOLOGICAL RESPONSES	) = Not Tested	1 = Susceptible 2	= Resistant 3	= Tolerant
0 Iron Chlorosis on Calcareous Soil	-	· · · · · · · · · · · · · · · · · · ·		,
0 Phosphorus	er <del>om med med to</del> the second second second		<del></del>	Zing the state of
O Boron				
O Aluminum				
O Salt				
0 Drought				
			***	
2 Other (Please Specify)dehiscence		· .		·

D. INSECT REACTIONS	0 = Not Tested	1 = Susceptible	2 = Resistant 3 = Tolerant
O Mexican Bean Beetle (Epilachna vari	vestis Mulsant)		
O Potato Leaf Hopper (Empoasca fabas	(Harrie))		
	(maris))		
Other (Please Specify)		<u> </u>	200100284
E. HERBICIDE REACTIONS	0 = Not Tested	1 = Susceptible	2 = Resistant
0 Metribuzin			
	en e		
0 Bentazone			•
0 Sulfonylurea			<b>∜</b> \$
1 Circhard			
1 Glyphosate		<b>.</b>	
0 Glufosinate		** **	
	•		
0 Pendimethalin			
			•
Other (Please Specify)			
F. TRANSGENIC COMPOSITION			
Has the development of the Subject Variety incl If yes, please complete the following information	uded the insertion of	or removal of genetic	material? YES X NO
Please state the vector's name:	requests. Use ad	ditional pages if neces	ssary.
•	<b>4.</b>		i
2. Please state the vector components:			
<ol><li>Please describe the genetic material successf</li></ol>	ully transferred into	o the Subject Variety:	
4. Please describe the insertion protocol:	,	•	
* A literature citation(s) explaining the four in the "Transgenic Composition" portion of thi	formation requests s form.	above may be an acco	eptable alternative to completion of
G. BIOCHEMICAL MARKERS			
Please describe any biochemical information here e.g. Simple Sequence Repeats, Restriction Fraginages if necessary.	e which you believe nent Length Polymo	will be helpful in furti orphisms, Isozymic Cl	her describing the Subject Variety haracterization). Use additional

200100284

## The United States Department of Agriculture Agricultural Research Service Washington, DC 20250

## NOTICE OF RELEASE OF N6201 SOYBEAN CULTIVAR

The U.S. Department of Agriculture announces the release of soybean [Glycine max (L.) Merr.] cultivar N6201. N6201 is a large-seeded late-maturing soybean adapted to the South Atlantic Coast and Southeastern USA and developed for its potential use in the Japanese soyfoods market. N6201 was developed by Dr. Thomas E. Carter, Jr., Research Geneticist, USDA-ARS, Raleigh, North Carolina.

N6201, previously identified as NTCPR92-40, is an F<sub>6</sub> -derived selection from the cross of 'Nakasennari' x 'Young'. Young was a widely grown variety in the southeastern USA in the 1980's. Nakasennari is a Japanese variety. Young and Nakasennari were crossed in 1988 at Raleigh, NC, and F<sub>1</sub> plants were grown at the USDA-ARS Tropical Agriculture Research Station (TARS), Isabela, PR, the following winter. All F<sub>2</sub> plants were grown and harvested as a single bulk at Clayton, NC in 1989. Subsequently, the seed within this bulk were selected for large seed size. The largest F<sub>3</sub> seed were planted at TARS, and 1 pod was picked from each plant at maturity. The F4 seed were increased at Clayton, NC and allowed to stand well past maturity and rated for pod dehiscence in 1990. Plants apparently resistant to pod dehiscence were harvested individually and assayed for 100-seed weight and visual appearance. Progeny of promising F4 plants were grown and bulk harvested on an individual row basis at TARS the following winter. In 1991, individual F<sub>6</sub> plants were harvested and assayed for 100-seed weight and visual appearance at Clayton, NC. Approximately 30 F<sub>6</sub> plants were selected for progeny increase at TARS that winter and were subsequently yield tested at Plymouth, NC in 1992. N6201 was yield tested at ten North Carolina locations from 1993 through 1997, and at nine and 23 southern regional locations in 1994 and 1995 as part of the USDA Cooperative Uniform Soybean Yield Tests. N6201 was also yield tested in three North Carolina environments by the North Carolina Official Variety Testing Program in 1995.

N6201 is approximately three days later in maturity than 'Brim' and is adapted to similar latitudes (approximately 31° to 37°). In ten North Carolina environments, it produced 7% lower yield than Brim in wide (95 cm) row spacings when grown under full season conditions. In these same environments, the 100-seed weight of N6201 averaged 23.1g which was larger than that of Brim (14.0g). In the 1995 USDA Cooperative Uniform Soybean Yield Tests, the average seed protein and oil concentrations on a zero percent

#### Release of N6201 Soybean

Page 2

moisture basis for N6201 and Brim were 42.3 and 20.7 % and 42.9 and 20.2%, respectively. N6201 was moderately lodging resistant, exhibiting an average lodging score of 2.3, compared with Brim's score of 2.0 [a score of 1 indicates no lodging while 5 indicates a prostrate plant]. N6201 plant height averaged 17 cm shorter than Young. N6201 is very resistant to pod dehiscence (shattering) after maturation. N6201 has yellow seed and clear hila, purple flowers, gray pubescence, determinate growth habit, and round leaves. N6201 is resistant to frog eye leaf spot (*Cercospora sojina* Hara), bacterial pustule (*Xanthomonas campestris pv. glycines* (Nakano) Dye) and most strains of Soybean Mosaic Virus, but susceptible to root knot (*Meloidogyne*) species of nematode. In some environments, seed will exhibit a light brown mottling which can be detrimental to acceptance in the soyfoods market. The basis for this mottling is unknown at present. Experimental production is advised prior to commercial marketing to ensure high seed quality. The lower yield potential of N6201, compared to commodity-type varieties, limits its use to specialty purposes.

Breeder's seed of N6201 will be maintained by the Soybean and Nitrogen Fixation Unit, USDA-ARS, 3127 Ligon St., Raleigh, NC 27607. Small quantities can be obtained by request from Thomas E. Carter. Jr. Seed of this release will be deposited in the National Plant Germplasm System where it will be available for research purposes, including development and commercialization of new cultivars. N6201 will be submitted for U.S. Plant Variety Protection. It is requested that appropriate recognition be made if this germplasm contributes to the development of a new breeding line or cultivar. USDA intends to grant an exclusive license for production and sale of this release to North Carolina State University, Raleigh, NC. A note of this intent will be published in the Federal Register.

Administrator, U.S. Department of Agriculture Agricultural Research Service Data

Table 1. Agronomic performance of advanced soybean breeding line in the USDA Cooperative Uniform Soybean Yield Trials.

		Sol	uthern	Southern Region 1994 <sup>†</sup>	94 <sup>†</sup>				S	outhern	Southern Region 1995 <sup>‡</sup>	995‡		
GENOTYPES MATURITY YIELD	MATURITY	YIELD	100 SEED WT.	PROTEIN OIL LODGE	OIL	LODGE	PLANT HEIGHT	MATURITY YIELD	YIELD	100 SEED WT.	PROTEIN OIL LODGE	OIL	•	PLANT HEIGHT
	Oct 1=1	bu/ac	œ	%	%	5	inch	 Oct 1=1	bu/ac	ũσ	%	%	1-5	inch
N6201	16	45	22.1	43.8	20.4	1.9	36	16	36	19.2	42.3	20.7	2.3	33
BRIM	14	47	13.1	42.6	20.4	1.9	38	18 14	41 42	12.3 14.0	42.9 42.4	20.2 20.7	2.0 1.7	33 32
LSD(0.05)		12.2		3.7	2.6				3.0	0.9				
						•								

<sup>†</sup> Mean of 9 locations in 1994 ‡ Mean of 23 locations in 1995

Table 2. Yield of advanced soybean breeding line in Official North Carolina State Variety Testing in 1995.

*	N.C. Offici	al Variety	N.C. Official Variety Testing 1995		
GENOTYPES	Columbus Co.	Bertie Co.	Edgecombe Co.	MEAN	
		bu/ac			
N6201	42	49	38	43	
BRIM	48 49	47 45	48 46	48 47	
LSD(0.05)	11	∞	υ	5	

Table 1. Agronomic performance of advanced soybean breeding line in the USDA Cooperative Uniform Soybean Yield Trials.

		Sou	ıthern ]	Southern Region 1994 <sup>†</sup>	94 †				S	uthern	Southern Region 1995 <sup>‡</sup>	995 ‡		
GENOTYPES MATURITY YIELD	MATURITY	YIELD	100 SEED WT.	PROTEIN OIL LODGE	OIL	LODGE	PLANT HEIGHT	MATURITY	YIELD	100 SEED WT.	PROTEIN	OIL	LODGE	PLANT
	Oct !=!	bu/ac	ũσ	%	%	1-5	inch	Oct 1=1	bu/ac	(t <del>o</del>	%	%	1-5	inch
NTCPR92-40	16	45	22.1	43.8	20.4	1.9	36	16	36	19.2	42.3	20.7	2.3	33
BRIM DILLON	14	47	13.1	42.6	20.4	1.9	ယ &	 18 14	41 42	12.3 14.0	42.9 42.4	20.2 20.7	2.0 1.7	33
LSD(0.05)		12.2		3.7	2.6				3.0	0.9				
+ 1														

<sup>†</sup> Mean of 9 locations in 1994 ‡ Mean of 23 locations in 1995

Table 2. Yield of advanced soybean breeding line in Official North Carolina State Variety Testing in 1995.

	N.C. Offici	al Variety	N.C. Official Variety Testing 1995		
GENOTYPES	Columbus Co.	Bertie Co.	Edgecombe Co.	MEAN	
		bu/ac			
NTCPR92-40	42	49	38	43	
BRIM	48	47 45	48 46	48 47	
LSD(0.05)	11	8	5	5	

Table 3. Yield, 100-seed weight, maturity, and sell ratio of an advanced breeding line in North Carolina during 1993-1997.

						weight.	led by initial dry	in water divid	of inbibition	fter 14 hours o	veight of seed a	+ Swell Ratio = weight of seed after 14 hours of inbibition in water divided by initial dry weight.
	0.03						0.06	0.04	0.05	•		LSD(0.05)
	2.23						2.22	2.21	2.24	2:24	2.26	BRIM
	2.28						2.29	2.23	2.29	2.31	2.31	N6201
							SWELL+ RATIO					
	4	4.8	3.2	1.6	7.4	3.9	1	,	2		•	LSD(0.05)
	22	18	31	23	25	22	19	18	19	τ	•	BRIM
	26	30	32	24	23	23	24	26	27	•		N6201
							MATURITY (Oct. 1=1)					
	0.8	1.2	1.0	1.2	1.9	1	0.8	0.9	1.0		1	LSD(0.05)
	14.0	13.1	15.9	12.9	15.1	t	12.9	13.4	13.7	14.9	14.1	BRIM
	23.1	23.1	24.4	23.8	23.0	1	21.1	22.3	23.1	23.3	23.9	N6201
							100-SEED WT. (g)					,
	အ	6	8	4	10	ω	5	6	7			LSD(0.05)
	46	48	63	49	43	15	44	46	50	57	47	BRIM
	43	45	51	45	45	15	44	48	41	55	42	N6201
							YIELD (BU/AC)					
	MEAN	1997 Windblow	1997 Clayton	1995 Plymouth	1995 Whiteville	1995 Windblow	1994 Windblow	1994 Plymouth	1994 Clayton	1993 Windblow	1993 Plymouth	GENOTYPES
•												

\*3200100**2** 

Table 3. Yield, 100-seed weight, maturity, and sell ratio of an advanced breeding line in North Carolina during 1993-1997.

	0.03						0.06	0.04	0.05	ı	•	LSD(0.05)
	2.23						2.22	2.21	2.24	2.24	2.26	BRIM
	2.28						2.29	2.23	2.29	2.31	2.31	NTCPR92-40 ·
							SWELL+ RATIO					
	4	4.8	3.2	1.6	7.4	3.9	1-	1	2	•	1	LSD(0.05)
	22.	18	31	23	25	22	19	18	19	1	ı	BRIM
	26	30	32	24	23	23	24	26	27	1	,	NTCPR92-40
							MATURITY (Oct. 1=1)					
	0.8	1.2	1.0	1.2	1.9	1	0.8	0.9	1.0	ı		LSD(0.05)
-	14.0	13.1	15.9	12.9	15.1	•	12.9	13.4	13.7	14.9	14.1	BRIM
	23.1	23.1	24.4	23.8	23.0	ŧ	21.1	22.3	23.1	23.3	23.9	NTCPR92-40
							100-SEED WT. (g)					
	3	6	8	4	10	ω	5	6	7	1	1	LSD(0.05)
,,,,	46	48	63	49	43	15	44	46	50	57	47	BRIM
	43	45	51	45	45	15	44	48	41	55	42	NTCPR92-40
					i		YIELD (BU/AC)					
	MEAN	1997 Windblow	1997 Clayton	1995 Plymouth	1995 Whiteville	1995 Windblow	1994 Windblow	1994 Plymouth	1994 Clayton	1993 Windblow	1993 Plymouth	GENOTYPES

<sup>+</sup> Swell Ratio = weight of seed after 14 hours of inbibition in water divided by initial dry weight.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made 1974 (5 U.S.C. 552a) and the Paperwo	in accordance with the Privacy Act of ork Reduction Act (PRA) of 1895.
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSH	Application is required in order to describe to the certificate is to be issued (7 U.S.C. 242) until certificate is issued (7 U.S.C. 242)	letermine if a plant variety protection 2421). Information is held confidentia 6).
1. NAME OF APPLICANT(S)  USDA- Agricultural Research Service	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME
	NTCPR92-40	N6201
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country,	5. TELEPHONE (include area code)	C CAY
3127 Ligon St. Box 7631	(919) 513-1480	6. FAX (include area code) (919) 856-4598
Raleigh NC 27607	7. PVPO NUMBER	
8. Does the applicant own all rights to the variety? Mark an "X" in appl	morate block If no please explain	XI YES   TI NO
9. Is the applicant (individual or company) a U.S. national or U.S. base	d company?	TIYES TXINO
If no, give name of country		
10. Is the applicant the original owner?	NO If no, please answer one of the fo	ollowing:
a. If original rights to variety were owned by individual(s), is (are) the	e original owner(s) a U.S. national(s)?	
E3.VE0		
N/A YES  b. If original rights to variety were owned by a company(ies), is(are)		?
N/A YES	NO if no, give name of country	
11. Additional explanation on ownership (if needed, use reverse for extra	a space):	
LEASE NOTE:		
lant variety protection can be afforded only to owners (not licensees) who mee	t one of the following criteria:	
. If the rights to the variety are owned by the original breeder, that person mus which affords similar protection to nationals of the U.S. for the same genus a	t be a U.S. national national of a UPOV member	er country, or national of a country
If the rights to the variety are owned by the company which employed the ori member country, or owned by nationals of a country which affords similar pr	iginal breeder(s), the company must be U.S. base	ed, owned by nationals of a UPOV
. If the applicant is an owner who is not the original owner, both the original o		•
he original breeder/owner may be the individual or company who directed fina		
According to the Paperwork Reduction Act of 1995, no persons are required to respond to a cities information collection is 0581-0055. The time required to compete this information collection is 0581-0055. The time required to compete this information collection according existing data sources, gathering and maintaining the data needed, and completing a	laction is artimated to exercise 10 minutes are reconnect	trol number. The valid OMB control number for , including the time for reviewing instructions,
The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basi (Not all prohibited bases apply to all programs). Persons with disabilities who require alternat USDA's TARGET Center at 202-720-2600 (voice and TDD).	is of own rates authoral arisin any affairs and stark its	r, political beliefs, and marital or familial status. ille, large print, audiotape, etc.) should contact

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

STD-470-E (07-97) (Destroy previous editions).
Electronic version designed using WordPerfect InForms by USDA-AMS-IMB.